

CERTIFICATE OF ANALYSIS



Customer: Biominerales Pharma
3790 SW 30th Ave
Fort Lauderdale, FL 33312


Batch #: CBG031323
Laboratory Number: ATL-12399

Report Issue Date: 3/13/2023
Order Date: 3/13/2023
Analysis Date: 3/13/2023

Sample Description:

CBG Pre Roll

Unit Weight: 1.2886g / Pre Roll



Extraction Technician: LL
Analytical Chemist: LL

Abraham Yacamán
Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.06	N/D	N/D
CBDV	<0.03	N/D	N/D
CBD-A	<0.03	N/D	N/D
CBG-A	<0.03	91.29	7.08
CBG	<0.02	8.38	0.65
CBD	<0.01	N/D	N/D
THCV	<0.01	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
THCV-A	<0.06	N/D	N/D
CBN	<0.03	<LOQ	<LOQ
D9-THC	<0.03	0.82	0.06
D8-THC	<0.03	0.81	0.06
9R-D10-THC	<0.02	N/D	N/D
9S-D10-THC	<0.02	N/D	N/D
9R-HHC	<0.01	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
9S-HHC	<0.01	N/D	N/D
CBC	<0.06	3.50	0.27
CBC-A	<0.03	2.23	0.17
THC-A	<0.03	<LOQ	<LOQ
D8-THCP	<0.01	N/D	N/D
D8-THCO	<0.02	N/D	N/D

Max Active THC	mg/preroll	%
	0.82	0.06
Max Active CBG	mg/preroll	%
	99.67	7.73

Total Active Cannabinoids	mg/preroll	%
	107.04	8.31
Total Cannabinoids	mg/preroll	%
	120.03	9.32

NOTES

[Empty box for notes]

Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD)
 Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC)
 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC)
 Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within CDA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification
 Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-600A)

