

Customer: Sun State Hemp
4800 SW 51st Street, Suite 106,
Davie, FL 33314



Report Issue Date
9/23/2021

Sample ID: D8DSW10121 / Skywalker
Laboratory Number: ATL-1528

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: Diamond Sauce / 2g



CANNABINOID PROFILE

Order Date: 9/23/2021
Analysis Date: 9/23/2021

Cannabinoids (HPLC)

Results Cannabinoid (%)

Test	LOD (mg/g)	mg/container	%	0	20	40	60	80	100
Cannabidiol (CBD)	<0.5	1033.9	51.69	[Progress bar]					
Delta 8-Tetrahydrocannabinol	<0.5	906.4	45.32	[Progress bar]					
Delta 9-Tetrahydrocannabinol (THC)	<0.5	0	0	[Progress bar]					
Cannabidiol (CBDV)	<0.5	0	0	[Progress bar]					
Cannabidiolic Acid (CBD-A)	<0.4	0	0	[Progress bar]					
Cannabigerolic Acid (CBG-A)	<0.4	0	0	[Progress bar]					
Cannabigerol (CBG)	<0.5	0	0	[Progress bar]					
Cannabinol (CBN)	<0.5	0	0	[Progress bar]					
Delta 10-Tetrahydrocannabinol (THC)	<0.5	0	0	[Progress bar]					
Cannabichromene (CBC)	<0.5	0	0	[Progress bar]					
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.4	0	0	[Progress bar]					

Cannabinoids Total

Test	mg/container	%	0	20	40	60	80	100	
Max Active THC	0	0	[Progress bar]						
Max Active CBD	1033.9	51.69	[Progress bar]						
T.Active Cannabinoids	1940.3	97.02	[Progress bar]						
Total Cannabinoids	1940.3	97.02	[Progress bar]						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected

