Customer:

Sample ID:

Sun State Hemp 4800 SW 51st Street, Suite 106, Davie, FL 33314

A

D8SD10121 / Sour Diesel

Laboratory Number: ATL-1536



Report Issue Date 9/24/2021

Extraction Technician: HP Analytical Chemist: HP

Hernan Prieto

Sample Description/Size:

D8 Cartridge / 1ml



Order Date 9/23/2021 Analysis Date 9/23/2021

CANNABINOID PROFILE

Cannabinoids (HPLC)		Resu	lts	Cannabinoid (%)						
Test	LOD (mg/g)	mg/cartridge	%	0	20	40	60	80	100	
Cannabidivarin (CBDV)	<0.5	0	0							
Cannabidiolic Acid (CBD-A)	<0.4	0	0	VV	VIV	1 10	7/ /-			
Cannabigerolic Acid (CBG-A)	<0.4	0	0							
Cannabigerol (CBG)	<0.5	0	0							
Cannabidiol (CBD)	<0.5	0	0					and the second		
Cannabinol (CBN)	<0.5	0	0				X \			
Delta 9-Tetrahydrocannabinol (THC)	<0.5	0	0					1		
Delta 8-Tetrahydrocannabinol	<0.5	919.2	91.92	111111						
Delta 10-Tetrahydrocannabinol (THC)	<0.5	0	0							
Cannabichromene(CBC)	<0.5	0//	0	i.y	A.A	44				
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.4	0	0		ANA	41- M				

Cannabinoids Total

Test	277		mg/cartrid	ge	%	0	20	40	60	80	100
Max Active THC	P //	11	0	4	0	VI	NIX	11.2	1 1	M	
Max Active CBD	W/	17	0//	1/	0	1 /	HALL		V		
T.Active Cannabinoids	THA		919.2		91.92	111111		<u>umimim</u>		111111111111111111111111111111111111111	IIIII
Total Cannabinoids			919.2	H	91.92	MIIII		111111111111111111111111111111111111111	111111111111111111111111111111111111111		ШП

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected

