

CERTIFICATE OF ANALYSIS



Customer: Sun State Hemp
15901 SW 29th Street #201
Miramar, FL 33027


Batch #: D9A2272
Laboratory Number: ATL-8381

Report Issue Date: 08/23/2022
Order Date: 08/18/2022
Analysis Date: 08/22/2022

Sample Description:

D9 Apple Rings 10mg

Unit Weight: 7.9800g / Gummy



Extraction Technician: LL
Analytical Chemist: LL

Hernan Prieto
Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.06	0	0
CBDV	<0.03	0	0
CBD-A	<0.03	0	0
CBG-A	<0.03	0	0
CBG	<0.02	0	0
CBD	<0.01	5.19	0.07
THCV	<0.01	0	0

Analyte	LOQ (mg/g)	Results mg/gummy	%
THCV-A	<0.06	0	0
CBN	<0.03	0	0
D9-THC	<0.03	7.98	0.10
D8-THC	<0.03	3.43	0.04
9R-D10-THC	<0.02	0	0
9S-D10-THC	<0.02	0	0
9R-HHC	<0.01	0	0

Analyte	LOQ (mg/g)	Results mg/gummy	%
9S-HHC	<0.01	0	0
CBC	<0.06	0	0
CBC-A	<0.03	0	0
THC-A	<0.03	0	0
D9-THCP	<0.03	0	0
D8-THCO	<0.02	0	0

Max Active THC	mg/gummy	%	Total Active Cannabinoids	mg/gummy	%
	7.98	0.10		16.60	0.21
Max Active CBD	mg/gummy	%	Total Cannabinoids	mg/gummy	%
	5.19	0.07		16.60	0.21

NOTES

[Empty box for notes]

Cannabidiolic Acid(CBDVA) Cannabidiol(CBDV) Cannabidiolol Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabinol(THC) Tetrahydrocannabinolic Acid(THCA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within CDA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

