

## CBD Full Spectrum Tincture 2000mg

Sample ID: 2508AFL1532.6174

Internal Lab ID: ATL-31833

Client

Strain: -

Best Wellness USA, LLC

Matrix: Ingestible

Received: 08/26/2025

Lic. #

Type: Tincture

Completed: 08/28/2025

2701 NW 29th Terr

Unit Weight: 30 g

Batch#: FST2K1024

Lauderdale Lakes, FL 33311



### Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

08/27/2025

Complete

### Basic Potency

Complete

<b>0.29%</b> Total THC	<b>7.25%</b> Total CBD	<b>7.96%</b> Total Cannabinoids
---------------------------	---------------------------	------------------------------------

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.03	ND	ND	CBN	0.03	0.10	30.4
CBDV	0.03	0.05	13.6	$\Delta$ 9-THC	0.03	0.29	87.3
CBDa	0.03	ND	ND	$\Delta$ 8-THC	0.03	ND	ND
CBGa	0.03	ND	ND	(6aR,9S)-d10-THC	0.03	ND	ND
CBG	0.03	0.12	35.6	(6aR,9R)-d10-THC	0.03	ND	ND
CBD	0.03	7.25	2174.2	CBC	0.03	0.16	47.2
THCV	0.03	ND	ND	CBCa	0.03	ND	ND
$\Delta$ 8-THCV	0.03	ND	ND	THCa	0.03	ND	ND
THCVa	0.03	ND	ND	<b>Total</b>		<b>7.96</b>	<b>2388.5</b>


Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 08/27/2025

Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDa)

<b>NT</b> Not Tested Document ID: Moisture Content	<b>NT</b> Not Tested Document ID: Water Activity	<b>Not Tested</b> Document ID: Foreign Matter
---	---	---



  
Paulo Gonzalez  
Laboratory Director  
08/28/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.